HYDROBIOLOGIA
Volume 440, 1 December 2000

Theme
Island, Ocean and Deep-Sea Biology
Proceedings of the 34th European Marine Biology Symposium, held in Ponta Delgada (Azores), Portugal, 13–17 September 1999

Guest Editors
M.B. Jones, J.M.N. Azevedo, A.I. Neto, A.C. Costa & A.M. Frias Martins

Preface ix

List of participants xi–xii

Ecology and Evolution on Island Shores

INVITED KEYNOTE ADDRESS
Thoughts on the ecology and evolution of the intertidal biota of the Azores and other Atlantic islands
S.J. Hawkins, H.B.S.M. Corte-Real, F.G. Pannacciulli, L.C. Weber, J.D.D. Bishop 3–17

A provisional classification of algal characterized rocky shore biotopes in the Azores
I. Tittley, A.I. Neto 19–25

Variability at different spatial scales of a coralligenous assemblage at Giannutri Island (Tuscan Archipelago, northwest Mediterranean)
F. Ferdeghini, S. Acunto, S. Cocito, F. Cinelli 27–36

Diversity, recruitment and competition on island shores at south-polar localities compared with lower latitudes: encrusting community examples
D.K.A. Barnes 37–44

Are kelp holdfasts islands on the ocean floor? – indication for temporarily closed aggregations of peracarid crustaceans
M. Thiel, J.A. Vásquez 45–54

A sponge diversity centre within a marine 'island'
J.J. Bell, D.K.A. Barnes 55–64

An offshore buoy as a small artificial island and a fish aggregating device (FAD) in the Mediterranean
G. Relini, M. Relini, L. Relini Orsi, M. Montanari 65–80

Periodic movement, recruitment and size-related distribution of the sea cucumber *Holothuria scabra* in Solomon Islands
A. Mercier, S.C. Battaglene, J.-F. Hamel 81–100

A "minimum stress inflexion" in relation to environmental and biotic influences on the dynamics of subtidal encrusting communities?
B.C. Maughan, D.K.A. Barnes 101–109

Shell occupancy of the intertidal hermit crab *Clibanarius erythropus* (Decapoda, Diogenidae) on São Miguel (Azores)
A.Z. Botelho, A.C. Costa 111–117

Direct and indirect effects of *Littorina littorea* (L.) on barnacles growing on mussel beds in the Wadden Sea
C. Buschbaum 119–128

Age and growth, reproduction and diet of a sublittoral population of the rock goby *Gobius paganellus* (Teleostei, Gobiidae)
J.M.N. Azevedo, A.M.V. Simas 129–135

Luminous capabilities and life-history traits of the polychromatic ophiuroid *Amphipholis squamata* in two isolated populations from Oliveri-Tindari lagoon system (Sicily)
S. Dupont, J. Mallefet 137–144

Physical control of plankton population abundance and dynamics in intertidal rock pools
M.P. Johnson 145–152

New records of brown algae (Phaeophyta) from the Azores
M.I. Parente, R.L. Fletcher, A.I. Neto 153–157

The Open Ocean

INVITED KEYNOTE ADDRESS
Quantification of diel vertical migration by micronektonic taxa in the northeast Atlantic
M.V. Angel, P.R. Pugh 161–179

Colonization of floating seaweed by pelagic and subtidal benthic animals in southwestern Iceland
A. Ingólfsson 181–189

Semper's (zoanthid) larvae: pelagic life, parentage and other problems
J.S. Ryland, S. de Putron, R.S. Scheltema, P.J. Chimonides, D.G. Zhadan 191–198

The Deep Ocean

INVITED KEYNOTE ADDRESS
A review of the distribution of hydrothermal vent communities along the northern Mid-Atlantic Ridge: dispersal vs. environmental controls
D. Desbruyères, A. Almeida, M. Biscoito, T. Comtet, A. Khripounoff, N. Le Bris, P.-M. Sarradin, M. Segonzac 201–216

The effect of water depth on bacterial numbers, thymidine incorporation rates and C:N ratios in northeast Atlantic surficial sediments
J.L. Dixon, C.M. Turley 217–225

Distribution of live benthic Foraminifera at three oceanographically dissimilar sites in the northeast Atlantic: preliminary results
J.A. Hughes, A.J. Gooday, J.W. Murray 227–238

Foraminiferan (Protozoa) epizoites on deep-water arcturids (Crustacea, Isopoda)
J. Svavarsson, S.H. Ólafsdóttir 239–247

Resting stages in a submarine canyon: a component of shallow–deep-sea coupling?
L. Della Tommasa, G. Belmonte, A. Palanques, P. Puig, F. Boero 249–260

Patterns in deep-sea macrobenthos at the continental margin: standing crop, diversity and faunal change on the continental slope off Scotland
J.D. Gage, P.A. Lamont, K. Kroeger, G.L.J. Patterson, J.L. Gonzalez Vecino 261–271

Lipid profiles of *Nematocarcinus gracilis*, a deep-sea shrimp from below the Arabian Sea oxygen minimum zone
C.E. Allen, P. Tyler, M.S. Varney 273–279

Community structure of deep-sea demersal fish in the Northern Aegean Sea (north-eastern Mediterranean)
M. Labropoulou, C. Papaconstantinou 281–296

Open Session

Influence of light and nitrogen on the phlorotannin content of the brown seaweeds *Ascophyllum nodosum* and *Fucus vesiculosus*
H. Pavia, G. Toth 299–305

Nutrification impacts on coral reefs from northern Bahia, Brazil
O.S. Costa Jr., Z.M.A.N. Leão, M. Nimmo, M.J. Attrill 307–315

Stable isotope evidence of benthic microalgae-based growth and secondary production in the suspension feeder *Cerastoderma edule* (Mollusca, Bivalvia) in the Marennes-Oléron Bay
P.-G. Sauriau, C.-K. Kang 317–329

Annual growth of the cockle *Clinocardium ciliatum* in the Norwegian Arctic (Svalbard area)
M.E. Tallqvist, J.H. Sundet 331–338

Distribution and abundance of co-occurring chthamalid barnacles *Chthamalus montagui* and *Chthamalus stellatus* (Crustacea, Cirripedia) on the southwest coast of Portugal
E.B. Sousa, T. Cruz, J.J. Castro 339–345

Predation by juvenile *Platichthys flessus* (L.) on shelled prey species in a bare sand and a drift algae habitat
K. Aarnio, J. Mattila 347–355

Feast or famine for intertidal grazing molluscs: a mis-match between seasonal variations in grazing intensity and the abundance of microbial resources
R.C. Thompson, M.F. Roberts, T.A. Norton, S.J. Hawkins 357–367

Bioturbation as a mechanism for setting and maintaining levels of diversity in subtidal macrobenthic communities
S. Widdicombe, M.C. Austen, M.A. Kendall, R.M. Warwick, M.B. Jones 369–377

Detecting anthropogenic disturbance in an environment with multiple gradients of physical disturbance, Manukau Harbour, New Zealand
J.I. Ellis, D.C. Schneider, S.F. Thrush 379–391